

# Roadmap

## Software Version 1.5

### Network protocols

- DNS Client (manual configurable or via DHCP) - Done
- SNTP Client (manual configurable via IP or network name - name resolve via DNS is needed).  
Display current time on the index page - Done

### Process image

- Map all states of the Netzer into a process image - Done.
- Direct mapping of process image members (i.e. interconnection of pins).
- Process image is accessible via HTTP
- ModbusTCP server implementation

### GPIO

- Activation of pins if a client is connected to GPIO or serial server (also inverted) → Is also done with the process image implementation.
- Changeable GPIO names
- Configure state of GPIO pin in power down mode - Done with process image

### I2C

- Configuration of an INT pin (one of the GPIOs) - Done with process image
- Extending the protocol for reading out this INT pin - Done with process image
- Further mode, where Netzer acts as I2C monitor and sniffs the I2C traffic and transfers it to the network (Done).

### Serial Interface

- Configurable parity bit (done).
- Handshake (done).

### Else

- Integration of the PIC watchdog.
- Show the time since Netzer has been active (done)

# Hardware

## Extension boards for the breakout board

- **LCD board** with Display (text or graphical), SD card, SRAM, EEPROM and Buzzer already under development
- **Dimmer board** with two channel Triac dimmer, almost ready to run.
- **Domestic board** with Relais, Triac dimmer, temperature and light sensor and 1-Wire-interface is also under development.
- Interface board with RS485 and RS232 (complete) - not yet started.

## Netzer 2:0

More of all! :) Not before end of 2014.

From:

<http://mobacon.de/dokuwiki/> - **MoBaCon**

Permanent link:

<http://mobacon.de/dokuwiki/doku.php?id=en:netzer:roadmap&rev=1391952743>

Last update: **2025/06/11 20:42**

